





<div><div>DEZCTOP</div><div></div></div>					
PRODUCT NAME/ 產品名稱	RGB Lighting Kit	DESIGN VER#	01	DATE	210521
MODEL NO./ 型號	DA-RGBLKT-BK1	VER# NOTE	DESCRIPTION	DATE	
PRINTING/ 印刷	Black print	01	ORIGINAL DESIGN	210521	
MATERIAL/ 材料	80G Simili paper				
SIZE/ 尺寸	W690 x H270 mm (Fold-W115 xH135mm)				

1.



2.





COMPONENT LIST / 零件列表

A LED Strip (660mm) x 4
LED 燈條 (660mm) x 4

B Controller x 1
控制盒 x 1

C RF Remote x 1
RF 無線射頻遙控器 x 1

D 100-240V AC to 5V DC Power Adapter x 1
100-240V交流轉5V直流變壓器 x 1

E 1,000mm Connection(Extension) Cable x 2
1,000mm 連接(延長)線 x 2

F 500mm Connection(Extension) Cable x 2
500mm 連接(延長)線 x 2

G PCI-E adapter (To MB's ARGB Header, 600mm) x 1
PCI-E轉接檔板(連接至主機板ARGB接頭, 600mm) x 1

H 1,000 mm Cable (PCI-E adapter to Controller) x 1
1,000 mm 轉接線 (PCI-E 轉接檔板至控制盒) x 1

I 3M Dual Lock Adhesive Pad x 4
3M Dual Lock 子母扣 x 4

HARDWARE INTRODUCTION / 硬體介紹

(1)LED Strip / LED燈條

(2)Controller / 控制盒


Control's Switch / 控制來源切換鈕	
Blue Light 藍燈	RF Remote RF無線射頻遙控器
Red Light 紅燈	MB's Addressable RGB LED Header 主機板上之可定址RGB LED燈條接頭

(3)Remote / 遙控器


Switch Light Modes/切換燈效模式	
1 Static 固定	Dynamic 動態燈效
2 Rainbow 彩虹	
3 Fading 漸變	
4 Breathing 呼吸	
5 Stary Night 星空	
6 Meteor 流星	

INSTALLATION / 安裝

1 Mount the LED Strips / 固定LED燈條




On Non-Magnetic Surfaces / 於鐵質金屬表面上




On Non-Magnetic Surfaces / 於非鐵質金屬表面


2 Link the LED Strips or Connect(Extension) Cables / 串聯燈條或連接(延長)線



3 Mount the Controller / 固定控制盒




On Magnetic Surfaces / 於鐵質金屬表面上




On Non-Magnetic Surfaces / 於非鐵質金屬表面上


4 Install the PCE-E Adapter / 安裝PCI-E轉接檔板




5 Connect to the Motherboard's ARGB Header / 連接至主機板的可定址燈條接頭




6 Connect All Cables / 連接所有線材



7 Plug to the Electrical Output / 插入變壓器至插座



8 Configure the Light Effects by Below Two Ways / 使用以下兩種方式來設定燈效



SPECIFICATIONS / 產品規格

SPECIFICATIONS		
Model Number & EAN	DA-RGBLKT-BK1	4710578830232
Material	Plastic, PCB, Magnet, Steel	
Light Controls	Dual controls: RF Remote or Via MB's Addressable RGB LED Header	
Light Effects	(1)RF Remote: 50 light effects across 6 modes including Static, Rainbow, Fading, Breathing, Stary Night, and Meteor.	
	(2)Via MB's Addressable RGB LED Header: Depends on MB's light control software.	
CONTROLLER		
Dimensions (W x D x H)	52.5 x 52.5 x 20.5 mm	
Control's Switch	Switch between RF Remote (Blue Light) and MB's ARGB LED Header (Red Light)	
Control Channels	2 individuals	
LED Strips' Compatibility	DEZCTOP LED Strips Only. Each channel supports up to 6X LED strips (Up to 120 LEDs per channel)	
Inputs	(1)DC 5V connector for Power (2)3-pin connector for connection with MB's ARGB LED Header (Via PCI-E Adapter)	
Mounting	Magnets or 3M Dual Lock Adhesive Pad	
LED STRIP		
Included Quantity	4	
LED Type	5V Addressable RGB LED (Equivalent of WS2812B)	
LEDs Per Strip	20	
Magnets Per Strip	11	
Dimensions (L x W x H)	660 x 100 x 3 mm, which covers: (1) Effective range of 500mm (LED PCB) (2) 2-end connection cable, 80mm each	
Connectors	Magnets or 3M Dual Lock Adhesive Pad	
Mounting	Magnets or 3M Tape	
WARRANTY		
Warranty	2 Years	

RGB燈光套件		
產品型號 & EAN	DA-RGBLKT-BK1	4710578830232
材質	塑膠、PCB電路板、磁鐵、鋼材	
燈光控制	雙控制模式： RF無線射頻遙控或經由主機板之可編程RGB燈條接頭	
燈光效果	(1)RF無線射頻遙控：50種燈效，包含固定、彩虹、漸變、呼吸、流星、流星等6種燈效及12種色彩選擇。 (2)經由主機板之可編程RGB燈條接頭：取決於主機板提供之控制軟體	
控制盒		
尺寸(寬 x 深 x 高)	52.5 x 52.5 x 20.5 mm	
控制來源切換	可切換遙控模式(藍燈)或主機板ARGB燈條接頭(紅燈)	
燈控通道	2個獨立通道	
LED燈條相容性	僅可使用DEZCTOP燈條 單一通道最多可支援6條燈條 (每個通道最多120顆LED)	
輸入接頭	(1)DC 5V電源接頭 (2)用以連接主機板ARGB燈條接頭之3-pin接頭 (經由PCI-E轉接檔板)	
固定方式	磁鐵或3M Dual Lock子母扣	
LED燈條		
內含數量	4	
LED種類	5V可編程RGB (ARGB) LED (等同於WS2812B)	
單一燈條LED數量	20	
單一燈條磁鐵數量	11	
尺寸(長 x 寬 x 高)	660 x 100 x 3 mm, 包含: (1) 有效燈照長度為500mm (LED燈板長度) (2) 兩端連接線長各80mm	
連接線	兩端均為3-pin公母頭對接連接線	
固定方式	磁鐵或3M膠帶	
保固		
保固期	2年	

DEZCTOP WARRANTY POLICY Version: 1.0 2019/10/31

I. WHAT IS COVERED
This warranty only covers DEZCTOP products which you purchase from an authorized DEZCTOP reseller. This warranty is limited to the original purchaser and is non-transferable.

II.WARRANTY PERIOD
All DEZCTOP products carry a 2-year warranty from the date of purchase. Proof of purchase is required for warranty service.

III.WHAT IS NOT COVERED
This warranty does not cover the following:
> any product or serial number/warranty sticker modification applied without permission from DEZCTOP;
> any damage that is not a manufacturing defect;
> damage, deterioration or malfunction resulting from: accident, abuse, misuse, neglect, fire, water, lightning, or other acts of nature, unauthorized product modification or failure to follow instructions included with the product;
> any improper installation, unauthorized alternations or modifications, or repair
or attempted repair by anyone not authorized by DEZCTOP;
> any other cause not related to a product defect in materials or workmanship; > shipping or transport damage (claims must be made with the carrier);
> wear and tear from normal use.

DEZCTOP does not warrant that this product will meet your requirements. It is your responsibility to determine the suitability of this product for your purpose.

IV.EXCLUSION OF DAMAGES (DISCLAIMER)
DEZCTOP's sole obligation and liability under this warranty is limited to the repair or replacement of a defective product at our option. DEZCTOP shall not, in any event, be liable for any incidental or consequential damage, including but not limited to damages resulting from interruption of service and loss of data, business, or for liability in tort relating to this product or resulting from its use or possession.

V.LIMITATIONS OF IMPLIED WARRANTIES
There are no other warranties, expressed or implied, including but not limited to those of merchantability or fitness for a particular purpose. The duration of implied warranties is limited to the warranty period specified in Paragraph II.

VI.TO OBTAIN TECHNICAL SUPPORT.
If you have already referenced the user guide of your products and still need help, please contact us via support@dezctop.com or check FAQs (in Supports) on DEZCTOP website dezctop.com.

SUPPORT & SERVICE

If you have any other questions or problems with DEZCTOP product you purchased, please contact us by e-mail DEZCTOP Customer Support (support@dezctop.com).
Please include a detailed explanation and take some photos of your problem and your proof of purchase.
For comments and suggestions, you can also e-mail support@dezctop.com.
For more information about DEZCTOP, please visit us online. DEZCTOP Website: dezctop.com

FCC COMPLIANCE STATEMENT

This device complies with Part 15 of the FCC rules. Operation is subjected to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.
Changes or modifications not expressly approved by the party responsible for compliance could void your authority to operate the equipment.
This equipment complies with FCC radiation exposure limits set forth for an uncontrolled environment.

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:
-- Reorient or relocate the receiving antenna.
-- Increase the separation between the equipment and receiver.
-- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
-- Consult the dealer or an experienced radio/TV technician for help.

保固政策 發佈日期: 2019年11月1日

- I. 保固範圍**
本保固政策所涵蓋的範圍僅限於透過授權的DEZCTOP經銷商所購買的DEZCTOP產品，且僅適用於該產品的原始購買者，不可轉讓於其他人。
- II. 保固期限**
所有的DEZCTOP產品從購買日期都享有兩年的保固期。請保留發票或相關購買證明作為產品保固的依據。
- III. 不保固範圍**
以下為本保固政策無法涵蓋的範圍:
> 任何產品、或產品上的序號條碼、或保固貼紙在未經DEZCTOP的核准下改裝或變造；
> 任何不屬於製造缺陷造成的損壞；
> 任何因意外、濫用、疏忽、火災、水災、閃電、雷擊或其他自然災害、未授權的產品改裝或未依照產品所附的使用說明所造成的損壞、惡化或故障；
> 任何不當的安裝、未經授權的替換零件或改裝；或透過未經DEZCTOP的人或經銷商自行修理或意圖進行修理；
> 與產品的材料或製造工藝無關的任何其他原因；
> 運輸造成的損壞(此損壞必須向貨運方提出索賠)；
> 正常使用下的磨損；
DEZCTOP不保證該產品將滿足你的需求。確認此產品是否適合你的用途是你的責任。
- IV. 損壞排除(免責聲明)**
DEZCTOP在此保固政策中的唯一的責任和義務僅限於選擇維修或更換有缺陷的產品。在任何情況下，DEZCTOP均不對任何附帶或間接的損害負責，包括但不限於因服務的中斷、資料和數據的遺失、業務損失而造成的損害，或與該產品有關、使用或擁有該產品的侵權責任。
- V. 默示保固條款之限制**
沒有其他明示或暗示的保固條款，包括但不限於針對特定目的的可銷售性或適用性。默示保固的期限僅限於第二段中所規定的保固期限。
- VI. 技術支援**
如果你已經參考過了產品的使用安裝說明書但仍需要幫忙，請email至support@dezctop.com聯絡我們或查閱DEZCTOP網站內「支援」中的「常見問題」了解更多資訊。
- VII. 保固服務**
目前並沒有提供全球保固的服務。
- V. 默示保固條款之限制**
沒有其他明示或暗示的保固條款，包括但不限於針對特定目的的可銷售性或適用性。默示保固的期限僅限於第二段中所規定的保固期限。

- VI. 技術支援**
如果你已經參考過了產品的使用安裝說明書但仍需要幫忙，請email至support@dezctop.com聯絡我們或查閱DEZCTOP網站內「支援」中的「常見問題」了解更多資訊。
- VII. 保固服務**
目前並沒有提供全球保固的服務。
如果需要維修或更換的保固服務，DEZCTOP將會要求你提供購買證明(如商店的發票或收據等)，以便獲得保固服務。
如果你的產品在保固期限內需要退回或維修，請經由購買該產品時的經銷商或代理商進行保固服務。如果你無法再將產品退還給你的經銷商，請聯絡DEZCTOP客戶服務以尋求協助。請注意，所有的保固服務都需要你提供從授權的DEZCTOP經銷商取得的購買證明。
- 支援與服務**
如果你有任何問題或是你購買的DEZCTOP產品有任何問題，請e-mail至**DEZCTOP客戶服務信箱**(support@dezctop.com)。並請提供詳細的描述以及與產品問題相關的照片以及你的購買證明。

如果你有任何的意見和建議，也請e-mail至support@dezctop.com

有關DEZCTOP的更多資訊，請至我們的網站
DEZCTOP網站: dezctop.com/tw/

DEZCTOP 客戶服務: support@dezctop.com
DEZCTOP 聯絡電話: 02-2268-9089
DEZCTOP 網站: dezctop.com/tw/
保固與常見問答: dezctop.com/tw/中的支援